



## CS40

### Conferencing Speakerphone

A loud speakerphone with vocal enhanced features  
 Designed for med-meeting rooms

- Flexible connectivity with USB-A/C and Bluetooth
- 5W\*2 loud speakerphone for medium meeting rooms
- Compatible with mainstream UC/Video conferencing services
- Modern ID fits all kinds of meeting rooms

## ■ FEATURES ■




### Flexible Connectivity

USB-A/C and Bluetooth supported



10h Talk time  
 8h Music time  
 16h battery standby



### Loud Speaker + trio-mic

5W\*2 loud speaker for medium meeting rooms  
 Trio-omnidirectional mic for **3-meter** voice pickup range, ENC, ANS and AGC enabled

### Elegant ID

Modern ID with **fabric speaker cover and ambience light** fits all kind of meeting rooms  
**Cable management** keeps the desk clean

### Instant Access touch buttons

Pick up/Hang up | Volume Up/Down | Mute | Bluetooth

## ■ SPECIFICATIONS ■

### Microphone

- Type: 3 omnidirectional analog microphones
- Voice pickup range: 3m
- Sensitivity: -32dBFS
- Frequency: 20Hz~8KHz
- SNR:
- Environment Noise Cancellation (ENC)
- Adjustive Noise Suppression (ANS)
- Automatic Gain Control (AGC)

### Speaker

- Size/Rated power:  $\varnothing$ 52mm\*2/ 4 $\Omega$  5W
- Sensitivity: 87dB $\pm$ 2dB
- Frequency range: 100Hz~20KHz
- Music mode bandwidth: 100Hz~20KHz
- Speak mode bandwidth: 100z~20KHz

### Connectivity

- Connect to PC/mobile device: USB-A/C, Bluetooth
- Bluetooth
  - Version: Bluetooth 5.4
  - Profiles: HSP V1.2, HFP V1.7, A2DP V1.2
  - Operating range: Up to 20m
  - Pairing list: Up to 8 devices
  - Simultaneous connections: 2

### Battery

- Talk time: Up to 10 hours
- Music time: Up to 8 hours
- Standby time: 16 hours
- Charging time: 3.5 hours
- Battery capacity: 4000mAh

### Physical Specifications

- Dimensions
  - Product: 300\*120\*38mm
  - Cable length: 1.2m
  - Gift-box: 335\*149\*66mm
  - Carton package: 355\*318\*355 (10PCS)
- Weight
  - Product: 549g
  - Carton Net weight: 7.68kg
  - Carton Gross weight: 8.4kg
- Temperature and humidity
  - Working temperature: -10°C-60°C
  - Storage temperature: -20°C-80°C
  - Working humidity: 10% - 95%RH

### Package Contents

- CS40 Conferencing Speakerphone
- Quick Start Guide

## About FANVIL

FANVIL Technology Co., Ltd. (FANVIL) is a leading global provider of A&V-IoT (Audio& Video- IoT) devices with three R&D centers in Beijing, Shenzhen, and Suzhou, China, and three factories in Huizhou and Shangrao, China, and Vietnam. FANVIL has focused on Unified Communication technology innovation for more than 20 years and provides SIP phones and SIP security industrial products in the global market. As the pioneer in applying standardized network communication technology and Audio & Video technologies to build A&V IoT, we are boosting the digital transformation for multiple industries.

## About LINKVIL

As the sub-brand of FANVIL, LINKVIL will focus on the research and development of A&V-IoT wireless communication products. Based on Audio & Video -IoT, LINKVIL helps to achieve the full connection of wireless communication systems. LINKVIL builds a wireless communication Eco-system for multi-scenarios to help accelerate digital transformation.

## Copyright

Copyright © 2024 FANVIL Technology Co., Ltd.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of FANVIL Technology Co., Ltd.

## More Information

The above specifications may be updated in the future without prior notice. All hardware/software/physical features should be based on the final shipped products. For more information, please visit: [www.fanvil.com](http://www.fanvil.com)

## Compliance



FANVIL Technology Co., Ltd.

Web: [www.fanvil.com](http://www.fanvil.com)

Add:10/F Block A, Dualshine Global Science Innovation Center,  
Honglang North 2nd Road, Bao'an District, Shenzhen, China

Copyright © 2024 Fanvil Technology Co., Ltd.